

# Mechanická ucpávka KG 1

materiály SiC/SiC/VITON  
sedla G60, G6, G4



	G60+G6				G4		L3 (±0.5)
	d1 (H8)	d3 (H7)	d7 (H8)	L4	d12 (H8)	L14	
8	8	21.0	21	6.0			14.0
10	10	22.5	21	6.6	19.2	6.6	14.5
12	12	25.0	23	6.6	21.6	5.6	15.0
14	14	28.5	25	6.6	24.6	5.6	17.0
15	15	28.5	27	6.6	24.6	6.6	17.0
16	16	28.5	27	6.6	28.0	7.5	17.0
18	18	32.0	33	7.5	30.0	8.0	19.5
19	19	36.5	35	7.5	35.0	7.5	21.5
20	20	37.0	35	7.5	35.0	7.5	21.5
22	22	37.0	37	7.5	35.0	7.5	21.5
24	24	42.5	39	7.5	38.0	7.5	22.5
25	25	42.5	40	7.5	38.0	7.5	23.0
28	28	49.0	43	7.5	42.0	9.0	26.5
30	30	49.0	45	7.5	45.0	10.5	26.5
32	32	53.5	48	7.5	48.0	10.5	27.5
33	33	53.5	48	7.5	50.0	11.0	27.5
35	35	57.0	50	7.5	52.0	11.0	28.5
38	38	59.0	56	9.0	55.0	10.3	30.0
40	40	62.0	58	9.0	58.0	10.3	30.0
42	42	65.5	61	9.0	62.0	12.0	30.0
43	43	65.5	61	9.0	62.0	12.0	30.0
45	45	68.0	63	9.0	64.0	11.6	30.0
48	48	70.5	66	9.0	68.4	11.6	30.5
50	50	74.0	70	9.5	69.3	11.6	30.5
53	53	78.5	73	11.0	72.3	12.3	33.0
55	55	81.0	75	11.0	75.4	13.3	35.0
58	58	85.5	78	11.0	78.4	13.3	37.0
60	60	88.5	80	11.0	80.4	13.3	38.0
65	65	93.5	85	11.0	85.4	13.0	40.0
68	68	96.5	90	11.3	91.5	13.7	40.0
70	70	99.5	92	11.3	92.0	13.0	40.0
75	75	107.0	97	11.3	99.0	14.0	40.0
80	80	112.0	105	12.0	104.0	15.0	40.0
85	85	120.0	110	14.0	109.0	14.3	41.0
90	90	127.0	115	14.0	114.0	14.3	45.0
95	95	132.0	120	14.0	120.3	15.3	46.0
100	100	137.0	125	14.0	123.3	15.3	47.0

